

# Dental Waste Segregation



## HEALTHCARE RISK WASTE FOR TREATMENT

Soft waste only. No sharps, liquids or hard objects.



## WHITE/BLUE/ORANGE TOP SHARPS BOX

All sharps such as needles, syringes, glass phials and small amounts of broken glass not contaminated with Cytotoxic or Cytostatic medicines.



## WASTE X-RAY FIXER CONTAINER

Dispose of Waste X-Ray Fixer in this container. NB Used with X-Ray Developer to develop an X-Ray.



## WASTE DEVELOPER CONTAINER

Dispose of Waste X-Ray Developer in this container. NB Used with X-Ray Fixer to develop an X-Ray.



## PURPLE TOP SHARPS BOX

Needles, syringes, sharp instruments, cartridges or broken glass used in the administration of cytotoxic drugs. Unused medicine left over after administration to patient.



## AMALGAM CAPSULE CONTAINER

Empty amalgam capsule.



## SLUDGE DRUM CONTAINER

Used to dispose of waste sludge from amalgam separator, which will contain amalgam.



## LEAD FOIL BIN

The foils inserted into patients mouth to take the X-Ray will be disposed of in this bin.



## WASTE AMALGAM POT

Used to dispose of removed fillings made from Amalgam (silver fillings).



## CROWN & BRIDGE POT

Used to dispose of removed crown & bridge fit over missing teeth.



## TOOTH POT

Used to dispose of teeth extracted containing Amalgam fillings.

T: 1800 937 628  
E: [serviceireland@stericycle.com](mailto:serviceireland@stericycle.com)  
W: [stericycle.ie](http://stericycle.ie)

© 2022 Stericycle, Inc. All rights reserved.

 **Stericycle**<sup>®</sup>  
We protect what matters.